

BILL OF MATERIALS

Date: 10/19/15

Qty	Model	Description
-----	-------	-------------

Studio Electrical Distribution Equipment/Grid Hardware & Accessories

STUDIO ELECTRICAL DISTRIBUTION EQUIPMENT

Connector Strips

4	CS190720D-ILS	Connector Strip Assembly (19'0") with (7) 20 Amp Circuits and 24" Pigtails. Terminal Compartment: (5) Right Hand. Plug Type: Edison Plug. Includes (5) Allthread Suspension Brackets Each.
---	---------------	---

Wall Boxes

6	05301-ILS	Wall Box with (2) 20 Amp Circuits. Taps. All with 18" Pigtails. Plug Type: Edison Plug.
---	-----------	---

Note: Studio Distribution Equipment is completely assembled with all hardware ready to suspend and to wire to the control system.

GRID HARDWARE

140	05113-ILS	Beam Clamp, 3/8"
7	05119-ILS	All Thread Suspension Rod, 3/8" x 10'
14	05118-ILS	Load Channel, 20' Slotted Sections
43	05120-ILS	3/8" Load Channel Spring Nut
43	05121-ILS	3/8" Load Channel Square Locking Washer
189	05122-ILS	3/8" Hex Head Nut
126	05123-ILS	3/8" Flat Washer
63	05124-ILS	3/8" Lock Washer
20	05125-ILS	Connector Strip Bracket
43	05105-ILS	Grid Support Bracket
12	CLP-25-CH	Truss Clamps, Swivel
538	05107-ILS	Light Pipe: Black Polymer Finish <u>Consisting of:</u> (26) 13'0" x 1-1/2" I.D. Light Pipe (04) 14'0" x 1-1/2" I.D. Light Pipe (09) 16'0" x 1-1/2" I.D. Light Pipe
23	05270-ILS	Light Pipe Coupling, Threadless
8	05268-ILS	Wall Flange, Gasket
8	05271-ILS	Wall Flange, Threadless
63	05109-ILS	Gridlocks, 1-1/2" x 1-1/2"

Qty	Model	Description
-----	-------	-------------

Studio Electrical Distribution Equipment/Grid Hardware & Accessories - continued

CYCLORAMA AND BACKGROUND CURTAINS WITH ACCESSORIES

Cyclorama Curtain

1	CBS130800-ILS	<p>CBS Grey Seamless Lino Cyc Curtain, 12'0" high x 80'0" long. This curtain has a 4" heavy-duty binding at the top with spring harness snaps on one foot centers. The 2-1/4" hem has #90 lead tape weight sewn 1" above the bottom of the hem in a separate muslin pocket. The side hems have a 2" heavy-duty binding with eyelets on two foot centers for tauting the curtain. The curtain is flameproofed and flawless (as per the standards of the mills and converters) and is fabricated to the highest quality workmanship.</p>
---	---------------	---

Cyclorama Curtain Accessories

1	07034-ILS	Cyc/Background Tow Cord Hardware (Pair)
4	07035-ILS	Tow Cord (Pair)
2	07013-ILS	Tauting Pole Base (One Left & One Right)
2	07019-ILS	13'0" Tauting Pole with Guy Wire and Turnbuckle
2	07029-ILS	Sand Bag, 50 lb. Size, Non-Spill Saddle Bag Type made of heavy-duty duck with inner liner and Velcro fasteners.
12	07031-ILS	Eyelet Claws to attach Tauting Pole to Cyc

Background Curtains

2	PVB130450-ILS	<p>Spectrocolor III, Princess Velour Black Background Curtain 13'0" x High x 45'0" Long.</p>
1	CKG130450-ILS	<p>Spectrocolor III, Chroma Key Green Background Curtain 13'0" x High x 45'0" Long.</p> <p>This curtain has a 4" heavy-duty binding at the top and spring harness snaps on one foot centers. The 2-1/4" bottom hem has #90 lead tape weight sewn 1" above the bottom of the hem in a separate muslin pocket. The curtain is flawless (as per the standards of the material) and is fabricated to the highest quality workmanship. The Chroma Key curtain must be lined with a 100% black denim 11-1/2 ounces per yard and the Black curtain is fabricated from 16 ounce velour with both curtains meeting all fire codes.</p>

Background Curtain Accessories

3	07034-ILS	Cyc/Background Tow Cord Hardware (Pair)
12	07035-ILS	Tow Cord (Pair)

BILL OF MATERIALS

Date: 10/19/15

Qty	Model	Description
-----	-------	-------------

Studio Electrical Distribution Equipment/Grid Hardware & Accessories - continued

CYCLORAMA/BACKGROUND TRACK AND ACCESSORIES

12	07112-ILS	15' section of straight track
4	07114-ILS	9'0" radius , 1/4 circle corner track
4	07118-ILS	4'6" radius , 1/4 circle corner track
219	07128-ILS	Nylon Wheel Carrier with Bumper Assembly
20	07131-ILS	Splicing Clamp

Track Suspension Brackets
(Track to 1-1/2" I.D. Pipe)

28	07163-ILS	Top
4	07164-ILS	Top Corner Right
4	07165-ILS	Top Corner Left
20	07167-ILS	Bottom
4	07168-ILS	Bottom Corner Right
4	07169-ILS	Bottom Corner Left